

Minerva Classic Dryer Chair



Assembly Guide

Please read guide thoroughly to ensure proper setup.

Minerva Beauty, Inc.
2500 Meadowbrook Parkway, Suite D
Duluth, GA 30096
1-888-332-0123
www.MinervaBeauty.com



CLASSIC DRYER CHAIR ASSEMBLY INSTRUCTIONS

1.



Open Box

- Remove all pieces from box and neatly arrange on floor to ensure no parts are missing.
- Please keep all plastic wrapping and box in good condition in case product is damaged and needs to be returned.

2.




Furniture Parts:

- Chair Back
- Chair Seat
- 2 X Arms

Hardware:

- 1 x Allen Wrench
- 4 x Bolts with Washers
- 6 x Bolts with Cylinder Guides
- 8 Plugs



3.



- Lay back of chair and seat on side and insert all 4 large bolts with washers.

Note: Insert bolt with washer such that bolt head and washer are inside chair base.

- Align bolts with holes on dryer back and tighten to create a snug fit between chair and back.

Note: Socket wrench (not included) may be used to further tighten arm bolts.

4.



- Insert 3 bolts into arm of chair. The top hole nearest the "pointed" part of the arms will not receive a bolt.
- After bolts are inserted, turn arm over and insert cylindrical guides.
- Attach arm to chair and tighten bolts. Repeat with second arm.

5.



- Once arms are attached to chair, insert plugs so screw heads are not visible on chair arms.

END OF INSTRUCTIONS